



NT950-10g

PRODUCT CODE: NT950 (50 lb.)

FORM: Powder

APPLICATION:

A type B medicated premix for non-medicated milk replacers. For use in calves and beef and nonlactating dairy cattle. For treatment of bacterial enteritis caused by *E. coli* and bacterial pneumonia (shipping fever complex) caused by *P. multocida* susceptible to oxytetracycline; treatment and control of colibacillosis (bacterial caused by *P. multocida* susceptible to oxytetracycline; treatment and control of colibacillosis (bacterial enteritis) caused by *E. coli* susceptible to neomycin.

MEDICATION:

Neomycin Sulfate	10 grams/lb.
Oxytetracycline Hydrochloride	10 grams/lb.

This is not a complete feed and must be mixed as indicated under the following directions:

MIXING DIRECTIONS:

Mix with milk replacer to provide 45 grams (2 scoops)* of NT950-10g per 100 pounds of bodyweight per day. This will provide 10 mg of Neomycin and 10 mg Oxytetracycline per pound of body weight.

*Enclosed scoop holds approximately 22.5g of this product.

GUARANTEED ANALYSIS:

Crude Protein (Min.)	1.2%
Crude Fat (Min.)	0.1%
Crude Fiber (Max.)	0.15%
Calcium (Min.)	0.05%
Calcium (Max.)	0.06%
Phosphorus (Min.)	0.1%
Potassium (Min.)	0.1%

INGREDIENTS:

Maltodextrin, Dextrose, Dried Whey, Kaolin.

WARNING:

Feed continuously for 7 to 14 days in feed or milk replacer. If symptoms persist after using for 2 or 3 days, consult a veterinarian. Treatment should continue 24 to 28 hours beyond remission of disease symptoms. A withdrawal period has not been established for use in preruminating calves. Do not use in calves to be processed for veal. A milk discard time has not been established for use in lactating dairy cattle. Do not use in female dairy cattle 20 months of age or older. Withdraw 5 days before slaughter.